

## AMENDMENTS TO THE CLAIMS

Please amend the claims of the present application as set forth below. In accordance with the PTO's revised amendment format, a detailed listing of all claims has been provided. This listing of claims will replace all prior versions, and listings, of claims in the application.

By way of overview, claims 1-42 will be pending upon entry of this Response. Of these pending claims:

- a) Claims 3, 7, 11, 15, 19, 24 and 25 remain in their original form;
- b) Claims 2, 6, 10, 14, 18, 28, 32, 36 and 37 were previously presented;
- c) Claims 1, 4, 5, 8, 9, 12, 13, 16, 17, 20-23, 26, 30 and 34 are currently amended;
- d) Claims 39-42 are newly added; and
- e) Claims 27, 29, 31, 33, 35, 38 are withdrawn.

### Listing of Claims:

1. (Currently amended) A method comprising:  
 automatically selecting a candidate program to record;  
~~storing information about~~ identifying the candidate program in a ~~first~~ first part of a time-dependent buffer arrangement, to provide candidate information;  
 recording ~~program information~~ content associated with the selected candidate program, ~~to provide recorded program information; and~~  
~~storing the recorded program information~~ identifying the recorded content in a second part of the time-dependent buffer arrangement, to provide recorded program information, wherein the candidate information and the recorded program information define program-related information;

1 wherein the program-related information advances through the time-dependent  
2 buffer arrangement in the manner of a shift register, ~~from the first part to the second part~~  
3 ~~of the time-dependent buffer arrangement~~ wherein an order of program-related  
4 information in the time-dependent buffer arrangement defines a temporal order for  
5 presenting programs corresponding to the program-related information to a viewer; and  
6 presenting a stream of programs to the viewer based on the temporal order  
7 identified by the time-dependent buffer arrangement.

8  
9 2. (Previously presented) The method as recited in Claim 1, wherein the  
10 automatically selecting of the candidate program further includes:

11 scanning an electronic program guide (EPG) based on definable user selection  
12 criteria to identify the candidate program.

13  
14 3. (Original) The method as recited in Claim 2, further comprising:  
15 maintaining definable user selection criteria for each one of a plurality of users.

16  
17 4. (Currently amended) The method as recited in Claim 2, further comprising:  
18 monitoring user activities associated with the recorded content ~~program~~  
19 ~~information~~; and  
20 modifying the definable user selection criteria based on the monitored user  
21 activities.

22  
23 5. (Currently amended) The method as recited in Claim 2, further comprising:  
24  
25

1        ~~recording~~ identifying a plurality of ~~the recorded program information content~~  
2 corresponding to respective candidate programs within the time-dependent buffer  
3 arrangement to provide a corresponding plurality of recorded program information,  
4 wherein the plurality of the recorded program information is in an initial time-ordered  
5 sequence for viewing the recorded content; and

6        selectively rearranging the initial time-ordered sequence of the plurality of the  
7 recorded program information to produce a modified time-ordered sequence for viewing  
8 the recorded content within the time-dependent buffer arrangement.

9  
10       6. (Previously presented) The method as recited in Claim 5, wherein the initial  
11 time-ordered sequence is automatically rearranged based on a comparison of the recorded  
12 program information with at least a portion of the definable user selection criteria.

13  
14       7. (Original) The method as recited in Claim 5, wherein the initial time-ordered  
15 sequence is manually rearranged based on user inputs.

16  
17       8. (Currently amended) The method as recited in Claim 1, further comprising:  
18        selectively ~~storing~~ identifying the recorded ~~program information~~ content within  
19 the time-dependent buffer arrangement ~~in~~ with a permanent storage buffer arrangement.

20  
21       9. (Currently amended) A computer-readable medium having computer-  
22 executable instructions for performing steps comprising:

23        automatically selecting a candidate program to record;  
24  
25

1        ~~storing information about~~ identifying the candidate program in a first part of a  
2 time-dependent buffer arrangement, to provide candidate information;

3        recording ~~program information~~ content associated with the selected candidate  
4 program, ~~to provide recorded program information~~; and

5        ~~storing the recorded program information~~ identifying the recorded content in a  
6 second part of the time-dependent buffer arrangement to provide recorded program  
7 information, wherein the candidate information and the recorded program information  
8 define program-related information;

9        wherein the program-related information advances through the time-dependent  
10 buffer arrangement in the manner of a shift register, ~~from the first part to the second part~~  
11 ~~of the time dependent buffer arrangement~~ wherein an order of program-related  
12 information in the time-dependent buffer arrangement defines a temporal order for  
13 presenting programs corresponding to the program-related information to a viewer; and  
14 presenting a stream of programs to the viewer based on the temporal order.

15  
16        10. (Previously presented) The computer-readable medium as recited in Claim 9,  
17 wherein the automatically selecting of the candidate program further includes:

18        scanning an electronic program guide (EPG) based on definable user selection  
19 criteria to identify the candidate program.

20  
21        11. (Original) The computer-readable medium as recited in Claim 10, further  
22 comprising computer-executable instructions for:

23        maintaining definable user selection criteria for each one of a plurality of users.  
24  
25

1           12. (Currently amended) The computer-readable medium as recited in Claim 10,  
2 further comprising computer-executable instructions for:

3           monitoring user activities associated with the recorded ~~program information~~  
4 content; and

5           modifying the definable user selection criteria based on the monitored user  
6 activities.

7  
8           13. (Currently amended) The computer-readable medium as recited in Claim 10,  
9 further comprising computer-executable instructions for:

10           ~~recording~~ identifying a plurality of the recorded ~~program information~~ content  
11 corresponding to respective candidate programs within the time-dependent buffer  
12 arrangement to provide a corresponding plurality of recorded program information,  
13 wherein the plurality of the recorded program information is in an initial time-ordered  
14 sequence for viewing the recorded content; and

15           selectively rearranging the initial time-ordered sequence of the plurality of the  
16 recorded program information to produce a modified time-ordered sequence for viewing  
17 the recorded content within the time-dependent buffer arrangement.

18  
19           14. (Previously presented) The computer-readable medium as recited in Claim 13,  
20 wherein the initial time-ordered sequence is automatically rearranged based on a  
21 comparison of the recorded program information with at least a portion of the definable  
22 user selection criteria.

1           15. (Original) The computer-readable medium as recited in Claim 13, wherein the  
2 initial time-ordered sequence is manually rearranged based on user inputs.

3  
4           16. (Currently amended) The computer-readable medium as recited in Claim 9,  
5 further comprising computer-executable instructions for:

6           selectively ~~storing~~ identifying the recorded ~~program information content~~ within  
7 the time-dependent buffer arrangement ~~in~~ with a permanent storage buffer arrangement.

8  
9           17. (Currently amended) An arrangement comprising:  
10 an intelligent content agent configured to automatically select a candidate  
11 program to record;

12 a time-dependent content buffer mechanism operatively coupled to the intelligent  
13 content agent and configurable to:

14           ~~receive and store information about the~~ identify the candidate program in a  
15 first part of the time-dependent buffer mechanism, to provide candidate  
16 information, wherein the recording of the candidate program produces recorded  
17 content; and

18           ~~receive and store program information associated with the selected~~  
19 ~~candidate program~~ identify the recorded content in a second part of the time-  
20 dependent buffer mechanism to provide recorded program information, wherein  
21 the candidate information and the recorded program information define program-  
22 related information,

23 wherein the arrangement is configured to advance the program-related  
24 information through the time-dependent buffer in the manner of a shift register, ~~from the~~  
25

1 ~~first part to the second part of the time-dependent buffer mechanism~~ wherein an order of  
2 program-related information in the time-dependent buffer mechanism defines a temporal  
3 order for presenting programs corresponding to the program-related information to a  
4 viewer,

5 wherein the arrangement is configured to present a stream of programs to the  
6 viewer based on the temporal order identified by the time-dependent buffer mechanism.

7  
8 18. (Previously presented) The arrangement as recited in Claim 17, wherein the  
9 intelligent content agent is further configured to scan an electronic program guide (EPG)  
10 based on definable user selection criteria to identify the candidate program.

11  
12 19. (Original) The arrangement as recited in Claim 18, wherein the intelligent  
13 content agent is further configured to maintain definable user selection criteria for each  
14 one of a plurality of users.

15  
16 20. (Currently amended) The arrangement as recited in Claim 18, further  
17 comprising a bubbling agent operatively associated with the intelligent content agent and  
18 the time-dependent content buffer mechanism, and configured to monitor user activities  
19 associated with the recorded ~~program information~~ content, and modify the definable user  
20 selection criteria based on the monitored user activities.

21  
22 21. (Currently amended) The arrangement as recited in Claim 18, wherein the  
23 time-dependent content buffer mechanism is further configured to:  
24  
25

1 ~~record~~ identify, in an initial time-ordered sequence for viewing the recorded  
 2 content, a plurality of recorded ~~program information~~ content associated with a plurality of  
 3 selected candidate programs to provide a corresponding plurality of recorded program  
 4 information; and

5 respond to user input by selectively rearranging the initial time-ordered sequence  
 6 to produce a modified time-ordered sequence for viewing the recorded content.

7  
 8 22. (Currently amended) The arrangement as recited in Claim 18, wherein the  
 9 time-dependent content buffer mechanism is further configured to:

10 ~~record~~ identify, in an initial time-ordered sequence for viewing the recorded  
 11 content, a plurality of recorded ~~program information~~ content associated with a plurality of  
 12 selected candidate programs to provide a corresponding plurality of recorded program  
 13 information; and

14 wherein, the intelligent content agent is further configured to automatically  
 15 rearrange the initial time-ordered sequence based on a comparison of the recorded  
 16 program information with at least a portion of the definable user selection criteria to  
 17 produce a modified time-ordered sequence for viewing the recorded content.

18  
 19 23. (Currently amended) The arrangement as recited in Claim 17, further  
 20 comprising a permanent storage buffer mechanism operatively associated with the time-  
 21 dependent content buffer mechanism, and wherein the ~~time-dependent content buffer~~  
 22 ~~mechanism~~ arrangement is further configured to selectively ~~move~~ store the recorded  
 23 content within the ~~time-dependent buffer mechanism to the~~ permanent storage buffer  
 24 mechanism.



1  
2 24. (Original) The arrangement as recited in Claim 17 wherein the intelligent  
3 content agent is further configured to examine closed caption data during recording of the  
4 candidate program to determine if the candidate program significantly matches a specific  
5 user criteria.

6  
7 25. (Original) The arrangement as recited in Claim 17 wherein the time-dependent  
8 content buffer mechanism is further configured to automatically provide a selectively  
9 arranged sequence of recorded candidate programs.

10  
11 26. (Currently amended) The method as recited in Claim 1, further comprising:  
12 playing the ~~candidate program~~ recorded content identified in the second part of  
13 the time-dependent buffer arrangement, to provide previously played program  
14 information; and  
15 ~~storing~~ identifying the previously played program information in a third part of  
16 the time-dependent buffer arrangement.

17  
18 27. (Withdrawn) The method as recited in Claim 4, wherein the user activities  
19 pertain to a rate at which a user consumes program information stored in the time-  
20 dependent buffer arrangement.

21  
22 28. (Previously presented) The method as recited in Claim 5, wherein the  
23 modified time-ordered sequence differs from the initial time-ordered sequence by moving  
24  
25

1 at least some recorded program information in front of other recorded program  
2 information.

3  
4 29. (Withdrawn) A method comprising:

5 automatically selecting a candidate program to record by scanning an electronic  
6 program guide (EPG) based on definable user selection criteria to identify the candidate  
7 program;

8 recording program information associated with the selected candidate program, to  
9 provide recorded program information; and

10 storing the recorded program information in a time-dependent buffer arrangement,  
11 wherein the user selection criteria is based on a rate at which a user consumes  
12 recorded program information stored in the time-dependent buffer arrangement.

13  
14 30. (Currently amended) The computer-readable medium as recited in Claim 9,  
15 further comprising computer-executable instructions for:

16 playing the ~~candidate program~~ recorded content identified in the second part of  
17 the time-dependent buffer arrangement, to provide previously played program  
18 information; and

19 ~~storing the~~ identifying the previously played program information in a third part  
20 of the time-dependent buffer arrangement.

21  
22 31. (Withdrawn) The computer-readable medium as recited in Claim 12, wherein  
23 the user activities pertain to a rate at which a user consumes program information stored  
24 in the time-dependent buffer arrangement.

1  
2 32. (Previously presented) The computer-readable medium as recited in Claim 13,  
3 wherein the modified time-ordered sequence differs from the initial time-ordered  
4 sequence by moving at least some recorded program information in front of other  
5 recorded program information.

6  
7 33. (Withdrawn) A computer-readable medium having computer-executable  
8 instructions for performing steps comprising:

9 automatically selecting a candidate program to record by scanning an electronic  
10 program guide (EPG) based on definable user selection criteria to identify the candidate  
11 program;

12 recording program information associated with the selected candidate program, to  
13 provide recorded program information; and

14 storing the recorded program information in a time-dependent buffer arrangement,

15 wherein the user selection criteria is based on a rate at which a user consumes  
16 recorded program information stored in the time-dependent buffer arrangement.

17  
18 34. (Currently amended) The arrangement as recited in Claim 17, wherein the  
19 arrangement is configured to play the ~~candidate program~~ recorded content identified in  
20 the second part of the time-dependent buffer mechanism, to provide previously played  
21 program information, and the time-dependent buffer mechanism is further configured to  
22 ~~store~~ identify the previously played program information in a third part of the time-  
23 dependent buffer mechanism.

1           35. (Withdrawn) The arrangement as recited in Claim 20, wherein the user  
2 activities pertain to a rate at which a user consumes program information stored in the  
3 time-dependent buffer mechanism.

4  
5           36. (Previously presented) The arrangement as recited Claim 21, wherein the  
6 modified time-ordered sequence differs from the initial time-ordered sequence by moving  
7 at least some recorded program information in front of other recorded program  
8 information.

9  
10          37. (Previously presented) The arrangement as recited Claim 22, wherein the  
11 modified time-ordered sequence differs from the initial time-ordered sequence by moving  
12 at least some recorded program information in front of other recorded program  
13 information.

14  
15          38. (Withdrawn) An arrangement comprising:  
16 an agent configured to automatically select a candidate program to record by  
17 scanning an electronic program guide (EPG) based on definable user selection criteria to  
18 identify the candidate program; and

19 a time-dependent content buffer mechanism operatively coupled to the agent and  
20 configurable to receive and store program information associated with the selected  
21 candidate program, to provide recorded program information,

22 wherein the user selection criteria is based on a rate at which a user consumes  
23 program information stored in the time-dependent buffer mechanism.

1           39. (New) The method as recited in Claim 1, wherein the stream of recorded  
2 content is a single stream.

3  
4           40. (New) A method comprising:  
5           identifying program information associated with plural programs in a time-  
6 dependent buffer arrangement, wherein an order of the program information defines a  
7 temporal order in which the programs are presented to a viewer;  
8           presenting a stream of programs to the viewer in the order defined by the time-  
9 dependent buffer arrangement by advancing the program information through the time-  
10 dependent buffer in the manner of a shift register; and  
11           identifying, using the time-dependent buffer arrangement, a status of the program  
12 information with respect to whether the corresponding programs have been: (a) selected  
13 but not yet recorded; (b) recorded but not yet viewed; and (c) viewed.

14  
15           41. (New) A computer-readable medium having computer-executable instructions  
16 for performing the method of claim 40.

17  
18           42. (New) An arrangement configured to perform the method of claim 40.  
19  
20  
21  
22  
23  
24  
25